



LOG CABINS

Experience the Perfect Blend of High Quality and Affordable Luxury with Our Log Cabins.



ABOUT US

We're a thoroughly nice family business established back in 1994, now run by two brothers who are the second generation to lead Dunster House. Nearly 30 years after we started as a windows and doors supplier, the company is still going strong.

These days, we've expanded significantly and now specialise in the design, manufacture, and delivery of a wide range of garden products – from log cabins to climbing frames, and sheds to summerhouses.

Our business philosophy is simple: the more we can control each aspect of the process, the more we can ensure consistently high standards and value for money.

**Rated
Excellent**



 Trustpilot



UK COMPANY 
FAMILY RUN BUSINESS

RESPONSIBLY SOURCED TIMBER

Here at Dunster House we want to do our part for the environment by using responsibly sourced timber for our garden buildings. This means that by choosing one of our garden sheds you are increasing the use of sustainable timber and therefore helping to lower carbon emissions and combat climate change. Thanks to their natural material properties our garden sheds will blend nicely into its surroundings, bringing a natural beauty to your garden.

We really do care about the environment. That is why we are part of the Timber Development UK.

CONTINUOUS IMPROVEMENT

Dunster House commit to continuously improving the sustainability level of our sourcing, by favouring stricter more credible certification and verification standards, and sourcing requirements. We are committed to avoiding sourcing from unknown or unsustainable sources.

CERTIFICATION

Where possible, Dunster House are committed to procuring wood products that have been certified by credible, internationally recognised standards for good forest management, to ensure that material originates from well managed forests.



CONTENTS

FEATURES

Toughened Glass - Stylish & Secure Locking System	
Stylish and Secure Locking system	6
Roof & Floor Included -Slow Grown Spruce	7
Vents & Storm Braces - Interlocking Logs	8
34mm, 45mm & 62mm Walls - uPVC Upgrade	9

LOG CABINS

Assassin Log Cabin with Gazebo	10
Coronet Corner Log Cabin	11
DaftBadger Corner Log Cabin	12
DaftDuck Multi Room Corner Log Cabin	13
EvilAssassin Log Cabin with Gazebo	14
EvilAmy Multi Room Log Cabin	15
EvilGenius Log Cabin Workshop	16
EvilRob Multi Room Log Cabin Workshop	17
EvilGhost Log Cabin	18
GhostFlowerLog Cabin	19
His & Hers Log Cabin	20
NuclearBob Log Cabin	21
Severn Log Cabin	22
Terminator Log Cabin	23

LOG CABINS

High quality Log Cabins designed with practically and affordability in mind.

Unlock the full potential of your garden with our versatile log cabins - the most multi-functional garden buildings on the market. Expand your living space without the need for costly home extensions. Transform your log cabin into the ultimate man cave, a perfect setting for your new business venture, a play area for the kids, or a tranquil chill-out room - the possibilities are endless!

Our wooden cabins are an excellent addition, allowing you to maximise the enjoyment of your home. Become the hostess with the mostess and have the most envy-inducing garden in the neighbourhood.

Choosing a Dunster House log cabin means selecting superior quality at an affordable price. Our designs embody elegant simplicity, inviting comfort, and unparalleled versatility.

UK COMPANY 
FAMILY RUN BUSINESS



ONLY 25% DEPOSIT WHEN ORDERING

Toughened Glass

Unlike other log cabin companies, we exclusively use 4mm toughened glass for its superior durability and security. Our rigorous testing confirms that toughened glass is harder to scratch, harder to break, and easier to clean. Our 34mm and 45mm log cabins come with 24mm double glazing included as standard. All our sealed units conform to BS EN 1279 standards, ensuring excellent insulation without condensation issues. We never compromise on quality.

Enhance security with internal beading, providing an additional layer of protection for your peace of mind.



Stylish & Secure Locking System

Your security is of the utmost importance to us. You have invested your precious time, thought, and money into creating your perfect cabin, therefore we want to ensure your valuables are as safe as they would be inside your own home.

Our doors feature an industry-leading domestic standard 6-point locking system consisting of espagnolettes, which slide in opposite directions as well as a 6-pin Euro cylinder, which has been tested to BSEN 1303:2005 classification. Making it difficult for intruders to break in and steal your precious belongings.

Roof & Floor Included

Experience the best in log cabin quality with our top-quality floors and roof included for free. All our Log Cabins are supplied with pressure treated floor bearers and 19mm slow grown spruce tongue & groove floorboards and roof boards as standard.

Enhance comfort and energy efficiency by adding our 25mm thick polyisocyanurate insulation, reducing heat loss and saving on heating costs. Boost energy efficiency further by incorporating our 25mm thick polyisocyanurate roof insulation panels. This will significantly lower the U-value of the floor from 281 w/m²k to 0.77 w/m²k, and lower the U-value of the roof from 3.49 w/m²k to an impressive 0.76 w/m²k.



High Quality Slow Grown Spruce

Choose our garden log cabins made exclusively from high-quality slow grown spruce timber, ensuring superior stability, aesthetic appeal, and resistance to warping and splitting.

Unlike cheaper alternatives like Pine, Spruce offers a tighter grain, fewer knots, less sap production, and reduced susceptibility to mold and rot. Trust in our commitment to using only the finest materials for long-lasting and visually pleasing log cabins.



Vents & Storm Braces

Experience the exceptional value of our log cabins, which come standard with key features that set us apart from the competition. Our cabins include air vents to ensure continuous airflow, minimising moisture and promoting a healthier environment. Additionally, our adjustable storm braces are included as standard, offering the dual benefits of tying the log cabin together and accommodating natural movement.

With our log cabins, you can enjoy optimal ventilation, reduced risk of gaps between wall logs, and peace of mind knowing that these essential features are included as standard.



Interlocking Logs

Our cabin logs are designed to interlock with a chamfered finish to ensure a snug fit. The chamfered notch system is designed to prevent damp or wind penetration.

Our interlocking logs make for speedy installation and minimal need for tools. Our garden buildings have been designed on the basis that any competent DIY customer will have no problem installing a product themselves in a short amount of time.



34mm, 45mm & 62mm Walls

We take pride in using only full lengths of engineered precision-cut and routed tongue & groove timber in our log cabins. These logs undergo a planing process, leaving you with a smooth finish. We believe that using full lengths of planed timber gives you a more aesthetically pleasing and stronger product.

Other companies are content to provide you with rough offcuts, glued and finger jointed together, creating a weakened cabin and an off-putting appearance.

We offer a range of wall thickness options to cater to your needs. Our 34mm walls have a U-value of $2.26 \text{ W/m}^2\text{K}$. For enhanced thermal efficiency, our 45mm walls achieve an impressive U-value of $1.93 \text{ W/m}^2\text{K}$. And our 62mm walls offer an exceptional U-value of $0.69 \text{ W/m}^2\text{K}$, which is equivalent to a 140mm wall thickness in terms of insulation performance.

With our log cabins, you can enjoy not only a visually pleasing design but also the benefits of superior insulation, ensuring a comfortable and energy-efficient space to enjoy throughout the year.



uPVC Upgrade

Upgrade to UPVC windows and doors for a lasting transformation. Bid farewell to the maintenance hassle of wood and welcome durable, energy-efficient solutions into your home. Enhance your space with sleek designs and enjoy peace of mind with superior security features. Make the switch to UPVC today for a brighter, worry-free tomorrow.



Assassin Log Cabin with Gazebo

Keep in touch
01234272445
enquiries@dunsterhouse.co.uk

Roof & Floor Thickness:	19mm Tongue & Groove
Floor Bearers:	Pressure Treated for Longevity
24mm Double Glazing:	Included as Standard
Wall Thickness:	45mm
Ridge Height:	2.46m (8' 0")
Guarantee:	10 Years on Pressure Treated Timber against Rot and Insect Infestation
Approx. Assembly Time:	2 Days*
	*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

Available sizes

6.0m x 3.0m	8.5m x 3.0m
7.0m x 3.0m	9.5m x 3.0m
7.5m x 3.0m	
8.0m x 3.0m	

Model shown 6.0m x 3.0m



7.0m x 3.0m



8.0m x 3.0m

SEE WEBSITE FOR FULL SPECIFICATION

Coronet Corner Log Cabin

Keep in touch
01234272445
enquiries@dunsterhouse.co.uk

Roof & Floor Thickness:	19mm Tongue & Groove
Floor Bearers:	Pressure Treated for Longevity
24mm Double Glazing:	Included as Standard
Wall Thickness:	45mm
Building Style:	Strong Interlocking Tongue & Groove Logs
Guarantee:	10 Years on Pressure Treated Timber against Rot and Insect Infestation
Approx. Assembly Time:	2 Days*
	*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

Available sizes

- 2.5m x 2.5m
- 3.0m x 3.0m

Model shown 2.5m x 2.5m



3.0m x 3.0m



3.0m x 3.0m

SEE WEBSITE FOR FULL SPECIFICATION

DaftBadger Corner Log Cabin

Keep in touch
01234272445
enquiries@dunsterhouse.co.uk

Roof & Floor Thickness:	19mm Tongue & Groove
Floor Bearers:	Pressure Treated for Longevity
24mm Double Glazing:	Included as Standard
Wall Thickness:	45mm
Building Style:	Strong Interlocking Tongue & Groove Logs
Guarantee:	10 Years on Pressure Treated Timber against Rot and Insect Infestation
Approx. Assembly Time:	2 Days*
	*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

Available sizes

- 3.0m x 4.0m
- 3.0m x 5.0m
- 4.0m x 3.0m
- 5.0m x 3.0m

Model shown 4.0m x 3.0m



3.0m x 4.0m



5.0m x 3.0m

SEE WEBSITE FOR FULL SPECIFICATION

DaftDuck Multi Room Corner Log Cabin

Keep in touch
01234272445
enquiries@dunsterhouse.co.uk

Overall External Dimensions:	4.09m x 3.26m (13' 5" x 10' 8")
External Width:	3.99m (13' 1")
External Depth:	2.99m (9' 9")
Ridge Height:	2.50m (8' 0")
Internal Eaves Height:	2.13m (6' 11") Plenty of Headroom!
Roof & Floor:	19mm Tongue and Groove Boards
Walls:	100% Slow-Grown Spruce
Floor Bearers:	Pressure Treated for Longevity
Guarantee:	10 Years on Pressure Treated Timber against Rot and Insect Infestation

Approx. Assembly Time: 2 Days*

*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

Available sizes

- 3.0m x 4.0m
- 4.0m x 3.0m
- 3.0m x 5.0m
- 5.0m x 3.0m

Model shown 4.0m x 3.0m



SEE WEBSITE FOR FULL SPECIFICATION

EvilAssassin Log Cabin with Gazebo

Keep in touch
01234272445
enquiries@dunsterhouse.co.uk

Roof & Floor Thickness:	19mm Tongue & Groove
Floor Bearers:	Pressure Treated for Longevity
24mm Double Glazing:	Included as Standard
Wall Thickness:	45mm
Ridge Height:	2.46m (8' 0")
Guarantee:	10 Years on Pressure Treated Timber against Rot and Insect Infestation
Approx. Assembly Time:	2 Days*
	*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

Available sizes

- 7.5m x 3.0m
- 8.5m x 3.0m
- 9.5m x 3.0m

Model shown 6.0m x 3.0m



SEE WEBSITE FOR FULL SPECIFICATION

EvilAmy Multi Room Log Cabin

Keep in touch
01234272445
enquiries@dunsterhouse.co.uk

Roof & Floor Thickness:	19mm Tongue & Groove
Floor Bearers:	Pressure Treated for Longevity
24mm Double Glazing:	Included as Standard
Wall Thickness:	45mm
Ridge Height:	2.46m (8' 0")
Guarantee:	10 Years on Pressure Treated Timber against Rot and Insect Infestation
Included as Standard:	Roof, Floor, Plastic Vents, Adjustable Storm Braces, Assembly Instructions and Fixings
Approx. Assembly Time:	2 Days*
	*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

Available sizes

4.5m x 2.5m	6.0m x 2.5m	7.5m x 4.0m
4.5m x 3.0m	6.0m x 3.5m	8.0m x 3.5m
5.0m x 2.5m	6.5m x 3.0m	8.5m x 3.0m
5.0m x 3.5m	7.0m x 3.5m	9.0m x 3.5m
5.5m x 3.0m	7.5m x 3.0m	9.5m x 3.0m
		10.5m x 3.0m

Model shown 4.5m x 2.5m



7.5m x 3.0m



4.5m x 2.5m

SEE WEBSITE FOR FULL SPECIFICATION

EvilGenius Log Cabin Workshop

Keep in touch
01234272445
enquiries@dunsterhouse.co.uk

Roof & Floor Thickness:	19mm Tongue & Groove
Floor Bearers:	Pressure Treated for Longevity
24mm Double Glazing:	Included as Standard
Wall Thickness:	45mm
Ridge Height:	2.46m (8' 0")
Guarantee:	10 Years on Pressure Treated Timber against Rot and Insect Infestation
Included as Standard:	Roof, Floor, Plastic Vents, Adjustable Storm Braces, Assembly Instructions and Fixings
Approx. Assembly Time:	2 Days*
	*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

Available sizes

4.0m x 3.0m	8.0m x 3.0m
6.0m x 3.0m	8.0m x 3.5m
7.0m x 3.0m	9.0m x 3.5m
7.0m x 3.5m	

Model shown 6.0m x 3.0m



4.0m x 3.0m



8.0m x 3.0m

SEE WEBSITE FOR FULL SPECIFICATION

EvilRob Log Cabin Workshop

Keep in touch
01234272445
enquiries@dunsterhouse.co.uk

Roof & Floor Thickness:	19mm Tongue & Groove
Floor Bearers:	Pressure Treated for Longevity
24mm Double Glazing:	Included as Standard
Wall Thickness:	45mm
Ridge Height:	2.46m (8' 0")
Guarantee:	10 Years on Pressure Treated Timber against Rot and Insect Infestation
Included as Standard:	Roof, Floor, Plastic Vents, Adjustable Storm Braces, Assembly Instructions and Fixings
Approx. Assembly Time:	2 Days*
	*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

Available sizes

5.5m x 3.0m

Model shown 5.5m x 3.0m



SEE WEBSITE FOR FULL SPECIFICATION

EvilGhost Log Cabin

Keep in touch
01234272445
enquiries@dunsterhouse.co.uk

Roof & Floor Thickness:	19mm Tongue & Groove
Floor Bearers:	Pressure Treated for Longevity
24mm Double Glazing:	Included as Standard
Wall Thickness:	34mm
Ridge Height:	2.458m (8' 0")
Guarantee:	10 Years on Pressure Treated Timber against Rot and Insect Infestation
Included as Standard:	Roof, Floor, Plastic Vents, Adjustable Storm Braces, Assembly Instructions and Fixings
Approx. Assembly Time:	2 Days*
	*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

Available sizes

- 5.5m x 3.0m
- 6.5m x 3.0m

Model shown 5.5m x 3.0m



5.5m x 3.0m No Dormer



6.5m x 3.0m

SEE WEBSITE FOR FULL SPECIFICATION

GhostFlower Log Cabin

Keep in touch
01234272445
enquiries@dunsterhouse.co.uk

Overall External Dimensions: 5.46m x 4.92m (17' 10" x 16' 1")
Ridge Height: 3.37m (11' 0")
Internal Eaves Height: 2.42m (7' 11") Plenty of Headroom!
Roof & Floor: 19mm Tongue and Groove Boards
Walls: 45mm Thickness, 100% Slow-Grown Spruce
Floor Bearers: Pressure Treated for Longevity
Guarantee: 10 Years on Pressure Treated Timber against Rot and Insect Infestation

Included as Standard: Roof, Floor, Plastic Vents, Adjustable Storm Braces, Assembly Instructions and Fixings

Approx. Assembly Time: 2 Days*

*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

Available sizes

2.5m x 2.5m 6.5m x 3.0m
3.5m x 2.5m 8.0m x 3.0m
4.0m x 3.0m
5.0m x 3.0m
5.0m x 4.0m
5.5m x 4.5m

Available configurations

45mm Walls
Choose to install your cabin with or without the roof dormer for either a classical or modern style.
You choose!

Model shown 5.5m x 4.5m



2.5m x 2.5m



5.0m x 4.0m

SEE WEBSITE FOR FULL SPECIFICATION

His & Hers Log Cabin

Keep in touch
01234272445
enquiries@dunsterhouse.co.uk

Overall External Dimensions:	6.51m x 3.34m (21' 4" x 10' 11")
Ridge Height:	2.46m (8' 0")
Internal Eaves Height:	2.32m (7' 7")
Roof & Floor:	19mm Tongue and Groove Boards
Walls:	45mm Thickness, 100% Slow Grown Spruce
Floor Bearers:	Pressure Treated for Longevity
Guarantee:	10 Years on Pressure Treated Timber against Rot and Insect Infestation
Included as Standard:	Roof, Floor, Plastic Vents, Adjustable Storm Braces, Assembly Instructions and Fixings
Approx. Assembly Time:	2 Days*
	*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

Available sizes

- 6.5m x 3.0m
- 8.5m x 3.0m
- 7.5m x 3.0m

Available configurations

45mm Walls

Model shown 6.5m x 3.0m



8.5m x 3.0m



7.5m x 3.0m

SEE WEBSITE FOR FULL SPECIFICATION

NuclearBob Log Cabin

Keep in touch
01234272445
enquiries@dunsterhouse.co.uk

Roof & Floor Thickness:	19mm Tongue & Groove
Floor Bearers:	Pressure Treated for Longevity
24mm Double Glazing:	Included as Standard
Wall Thickness:	34mm
Ridge Height:	2.458m (8' 0")
Guarantee:	10 Years on Pressure Treated Timber against Rot and Insect Infestation
Included as Standard:	Roof, Floor, Plastic Vents, Adjustable Storm Braces, Assembly Instructions and Fixings
Approx. Assembly Time:	2 Days*
	*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

Available sizes

- 4.0m x 3.0m
- 5.0m x 3.0m
- 6.5m x 3.0m
- 8.0m x 3.0m

Model shown 4.0m x3.0m



4.0m x 3.0m



5.0m x 3.0m

SEE WEBSITE FOR FULL SPECIFICATION

Severn Log Cabin

Keep in touch
01234272445
enquiries@dunsterhouse.co.uk

Roof & Floor Thickness:	19mm Tongue & Groove 50mm Floor & 60mm Roof for Insulated configurations
Floor Bearers:	Pressure Treated for Longevity
24mm Double Glazing:	Included as Standard for 34mm, 45mm & 62mm
Wall Thickness:	45mm - 62mm Insulated
Building Style:	Interlocking Tongue & Groove Logs
Guarantee:	10 Years on Pressure Treated Timber against Rot and Insect Infestation
Approx. Assembly Time:	2 Days*
	*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

Available sizes

3.0m x 3.0m	3.0m x 8.0m	5.0m x 2.5m	5.0m x 6.0m	6.5m x 5.0m
3.0m x 4.0m	3.0m x 9.0m	5.0m x 3.0m	5.5m x 3.0m	6.5m x 5.0m*
3.0m x 5.0m	4.0m x 2.5m	5.0m x 4.0m	6.0m x 5.0m	*with SideStore
3.0m x 6.0m	4.0m x 3.0m	5.0m x 5.0m	6.5m x 3.0m*	
3.0m x 7.0m	4.0m x 4.0m	5.0m x 5.5m	6.5m x 4.0m*	

Model shown 5.0m x 5.0m



Available configurations

- 34mm Walls
- 45mm Walls
- 45mm Walls with SideStore
- 45mm with uPVC Insulated
- 62mm with uPVC Insulated

SEE WEBSITE FOR FULL SPECIFICATION

Terminator Log Cabin

Keep in touch
01234272445
enquiries@dunsterhouse.co.uk

Roof & Floor Thickness:	19mm Tongue & Groove 50mm Floor & 60mm Roof for Insulated configurations
Floor Bearers:	Pressure Treated for Longevity
24mm Double Glazing:	Included as Standard
Wall Thickness:	45mm - 62mm Insulated
Building Style:	Interlocking Tongue & Groove Logs
Guarantee:	10 Years on Pressure Treated Timber against Rot and Insect Infestation
Approx. Assembly Time:	2 Days*
	*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

Available sizes

2.5m x 2.0m	4.0m x 2.5m	5.5m x 3.5m	7.5m x 3.5m
3.0m x 2.5m	4.0m x 3.0m	6.0m x 4.0m	8.0m x 3.0m
3.0m x 3.0m	4.5m x 2.5m	6.0m x 3.0m	8.5m x 3.5m
3.5m x 2.5m	4.5m x 3.5m	6.5m x 3.5m	9.0m x 3.0m
3.5m x 3.5m	5.0m x 3.0m	7.0m x 3.0m	5.5m x 3.0m*

*with SideStore

Available configurations

- 34mm Walls
- 45mm Walls
- 45mm with uPVC Insulated
- 62mm with uPVC Insulated

Model shown 3.5m x 3.5m



Insulated Upvc 4.0m x 3.0m

SEE WEBSITE FOR FULL SPECIFICATION



GARDEN BUILDINGS



**DESIGNED
BETTER.**

Shop online at: dunsterhouse.co.uk