

# LOG CABINS

Experience the Perfect Blend of High Quality and Affordable Luxury with Our Log Cabins.

01234 272445

[enquiries@dunsterhouse.co.uk](mailto:enquiries@dunsterhouse.co.uk)

[dunsterhouse.co.uk](http://dunsterhouse.co.uk)

**UK COMPANY**   
FAMILY RUN BUSINESS





**RATED EXCELLENT**

★ Trustpilot



# ABOUT US

We're a thoroughly nice family business established back in 1994 and now run by two brothers, who are the second generation to run Dunster House. Now, almost 30 years after we started as a windows and doors supplier, the company is still growing strong.

These days we've expanded significantly and today specialise in the design, manufacture and delivery of a wide range of garden products from log cabins to climbing frames, sheds to summerhouses.

Our business philosophy is simple - the more we can control each and every aspect of the process, the more we can ensure consistently high standards and value prices.



**UK COMPANY**   
FAMILY RUN BUSINESS

# SUSTAINABILITY

Here at Dunster House we want to do our part for the environment by using responsibly sourced timber for our garden buildings. This means that by choosing one of our garden bars you are increasing the use of sustainable timber and therefore helping to lower carbon emissions and combat climate change. Thanks to their natural material properties our garden bars will blend nicely into its surroundings, bringing a natural beauty to your garden.

We really do care about the environment. That is why we are part of the Timber Development UK.

## CONTINUOUS IMPROVEMENT

Dunster House commit to continuously improve the sustainability level of our sourcing, by favouring stricter more credible certification and verification standards, and sourcing requirements. We are committed to avoiding sourcing from unknown or unsustainable sources.

## CERTIFICATION

Where possible, Dunster House are committed to procuring wood products that have been certified against credible, internationally recognised standards for good forest management, to ensure that material originates from well managed forests.

In line with this, we preference products certified to the standards of FSC (Forest Stewardship Council) and PEFC (Programme for the Endorsement of Forest Certification).



# CONTENTS

## FEATURES

Toughened Glass - Stylish & Secure Locking System	
Stylish and Secure Locking system .....	7
Roof & Floor Included -Slow Grown Spruce .....	8
Vents & Storm Braces - Interlocking Logs .....	9
34mm, 45mm & 62mm Walls - uPVC Upgrade .....	10

## LOG CABINS

Assassin Log Cabin with Gazebo .....	11
Avon Log Cabin .....	12
Carsare Insulated Log Cabin .....	13
Coronet Corner Log Cabin .....	14
DaftBadger Corner Log Cabin .....	15
DaftDuck Multi Room Corner Log Cabin .....	16
EvilAssassin Log Cabin with Gazebo .....	17
EvilAmy Multi Room Log Cabin .....	18
EvilGenius Log Cabin Workshop .....	19
EvilRob Multi Room Log Cabin Workshop .....	20
EvilVampire Log Cabin with Pergola .....	21
FuriousPigeon Log Cabin Gazebo .....	22
GhostFlowerLog Cabin .....	23
Lantera Log Cabin .....	24
His & Hers Log Cabin .....	25
Modetro Log Cabin .....	26
Rhine Log Cabin .....	27
Severn Log Cabin .....	28
Terminator Log Cabin .....	29
Vampire Log Cabin with Pergola .....	30
Vanguard Log Cabin .....	31

# LOG CABINS

Experience the Perfect Blend of High Quality and Affordable Luxury with Our Log Cabins

**UK COMPANY**   
**FAMILY RUN BUSINESS**

**High quality Log Cabins designed with practically and affordability in mind.**

Unlock the full potential of your garden with our versatile log cabins - the most multi-functional garden buildings on the market. Expand your living space without the need for costly home extensions. Transform your log cabin into the ultimate man cave, a perfect setting for your new business venture, a play area for the kids, or a tranquil chill-out room - the possibilities are endless!

Our wooden cabins are an excellent addition, allowing you to maximise the enjoyment of your home. Become the hostess with the mostess and have the most envy-inducing garden in the neighbourhood.

Choosing a Dunster House log cabin means selecting superior quality at an affordable price. Our designs embody elegant simplicity, inviting comfort, and unparalleled versatility.



**ONLY 25% DEPOSIT WHEN ORDERING**

# Toughened Glass

Unlike other log cabin companies, we exclusively use 4mm toughened glass for its superior durability and security. Our rigorous testing confirms that toughened glass is harder to scratch, harder to break, and easier to clean. Our 34mm and 45mm log cabins come with 24mm double glazing included as standard. All our sealed units conform to BS EN 1279 standards, ensuring excellent insulation without condensation issues. We never compromise on quality.


Enhance security with internal beading, providing an additional layer of protection for your peace of mind.



# Stylish & Secure Locking System

Your security is of the utmost importance to us. You have invested your precious time, thought, and money into creating your perfect cabin, therefore we want to ensure your valuables are as safe as they would be inside your own home.

Our doors feature an industry-leading domestic standard 4-point locking system consisting of espagnolettes, which slide in opposite directions as well as a 6-pin Euro cylinder, which has been tested to BSEN 1303:2005 classification. Making it difficult for intruders to break in and steal your precious belongings.



## Roof & Floor Included

Experience the best in log cabin quality with our top-quality floors and roof included for free. All our Log Cabins are supplied with pressure treated floor bearers and 19mm slow grown spruce tongue & groove floorboards and roof boards as standard.

Enhance comfort and energy efficiency by adding our 25mm thick polyisocyanurate insulation, reducing heat loss and saving on heating costs. Boost energy efficiency further by incorporating our 25mm thick polyisocyanurate roof insulation panels. This will significantly lower the U-value of the floor from 281 w/m<sup>2</sup>k to 0.77 w/m<sup>2</sup>k, and lower the U-value of the roof from 3.49 w/m<sup>2</sup>k to an impressive 0.76 w/m<sup>2</sup>k.



## High Quality Slow Grown Spruce

Choose our garden log cabins made exclusively from high-quality slow grown spruce timber, ensuring superior stability, aesthetic appeal, and resistance to warping and splitting.

Unlike cheaper alternatives like Pine, Spruce offers a tighter grain, fewer knots, less sap production, and reduced susceptibility to mold and rot. Trust in our commitment to using only the finest materials for long-lasting and visually pleasing log cabins.





## Vents & Storm Braces

Experience the exceptional value of our log cabins, which come standard with key features that set us apart from the competition. Our cabins include air vents to ensure continuous airflow, minimising moisture and promoting a healthier environment. Additionally, our adjustable storm braces are included as standard, offering the dual benefits of tying the log cabin together and accommodating natural movement.

With our log cabins, you can enjoy optimal ventilation, reduced risk of gaps between wall logs, and peace of mind knowing that these essential features are included as standard.



## Interlocking Logs

Our cabin logs are designed to interlock with a chamfered finish to ensure a snug fit. The chamfered notch system is designed to prevent damp or wind penetration.

Our interlocking logs make for speedy installation and minimal need for tools. Our garden buildings have been designed on the basis that any competent DIY customer will have no problem installing a product themselves in a short amount of time.



# 34mm, 45mm & 62mm Walls

We take pride in using only full lengths of engineered precision-cut and routed tongue & groove timber in our log cabins. These logs undergo a planing process, leaving you with a smooth finish. We believe that using full lengths of planed timber gives you a more aesthetically pleasing and stronger product.

Other companies are content to provide you with rough offcuts, glued and finger jointed together, creating a weakened cabin and an off-putting appearance.

We offer a range of wall thickness options to cater to your needs. Our 34mm walls have a U-value of  $2.26 \text{ W/m}^2\text{K}$ . For enhanced thermal efficiency, our 45mm walls achieve an impressive U-value of  $1.93 \text{ W/m}^2\text{K}$ . And our 62mm walls offer an exceptional U-value of  $0.69 \text{ W/m}^2\text{K}$ , which is equivalent to a 140mm wall thickness in terms of insulation performance.

With our log cabins, you can enjoy not only a visually pleasing design but also the benefits of superior insulation, ensuring a comfortable and energy-efficient space to enjoy throughout the year.

## uPVC Upgrade



# Assassin Log Cabin with Gazebo

Model shown 6.0m x 3.0m

Keep in touch  
01234272445  
[enquiries@dunsterhouse.co.uk](mailto:enquiries@dunsterhouse.co.uk)

Roof & Floor Thickness: ..... 19mm Tongue & Groove  
Floor Bearers: ..... Pressure Treated for Longevity  
24mm Double Glazing: ..... Included as Standard  
Wall Thickness: ..... 45mm  
Ridge Height: ..... 2.46m (8' 0")  
Guarantee: ..... 10 Years on Pressure Treated Timber against Rot and Insect Infestation  
Approx. Assembly Time: ..... 2 Days\*  
\*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

## Available sizes

- 6.0m x 3.0m
- 7.0m x 3.0m
- 8.0m x 3.0m
- 9.0m x 3.0m



**SEE WEBSITE FOR FULL SPECIFICATION**

# Avon Log Cabin

Keep in touch  
 01234272445  
[enquiries@dunsterhouse.co.uk](mailto:enquiries@dunsterhouse.co.uk)

**Roof & Floor Thickness:** ..... 19mm Tongue & Groove  
 50mm Floor & 60mm Roof for Insulated configurations

**Floor Bearers:** ..... Pressure Treated for Longevity

**24mm Double Glazing:** ..... Included as Standard for 34mm, 45mm & 62mm

**Wall Thickness:** ..... 34mm, 45mm - 62mm Insulated

**Building Style:** ..... Interlocking Tongue & Groove Logs

**Guarantee:** ..... 10 Years on Pressure Treated Timber against Rot and Insect Infestation

**Approx. Assembly Time:** ..... 2 Days\*

\*This is an approximate time only, based on 2 people.  
 Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

## Available sizes

3.0m x 2.0m	3.0m x 6.0m	4.5m x 3.0m*
3.0m x 3.0m	3.0m x 7.0m	4.5m x 4.0m*
3.0m x 4.0m	3.0m x 8.0m	4.5m x 5.0m*
3.0m x 5.0m	3.0m x 9.0m	*with SideStore

## Available configurations

- 34mm Walls
- 45mm Walls
- 45mm Walls with SideStore
- 45mm with uPVC Insulated

Model shown 3.0m x 4.0m



3.0m x 9.0m

**SEE WEBSITE FOR FULL SPECIFICATION**

# Carsare Insulated Log Cabin

Keep in touch  
01234272445  
enquiries@dunsterhouse.co.uk

**Roof & Floor Thickness:** ..... 50mm Floor & 60mm Roof for Insulated config.  
**Floor Bearers:** ..... Pressure Treated for Longevity  
**24mm Double Glazing:** ..... Included as Standard  
**Wall Thickness:** ..... 62mm  
**Building Style:** ..... Strong Interlocking Tongue & Groove Logs  
**Guarantee:** ..... 10 Years on Pressure Treated Timber against Rot and Insect Infestation  
**Approx. Assembly Time:** ..... 2 Days\*  
\*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

## Available sizes

4.0m x 3.0m

## Available configurations

62mm with uPVC Insulated

Model shown 4.0m x 3.0m



# Coronet Corner Log Cabin

Keep in touch  
01234272445  
enquiries@dunsterhouse.co.uk

Roof & Floor Thickness: ..... 19mm Tongue & Groove  
Floor Bearers: ..... Pressure Treated for Longevity  
24mm Double Glazing: ..... Included as Standard  
Wall Thickness: ..... 45mm  
Building Style: ..... Strong Interlocking Tongue & Groove Logs  
Guarantee: ..... 10 Years on Pressure Treated Timber against  
Rot and Insect Infestation  
Approx. Assembly Time: ..... 2 Days\*  
\*This is an approximate time only, based on 2 people.  
Assembly time may vary depending on season/weather  
conditions, foundation type, ability of those constructing,  
etc

## Available sizes

2.5m x 2.5m

3.0m x 3.0m

Model shown 2.5m x 2.5m



3.0m x 3.0m



3.0m x 3.0m

SEE WEBSITE FOR FULL SPECIFICATION

# DaftBadger Corner Log Cabin

Keep in touch  
01234272445  
enquiries@dunsterhouse.co.uk

Roof & Floor Thickness: ..... 19mm Tongue & Groove  
Floor Bearers: ..... Pressure Treated for Longevity  
24mm Double Glazing: ..... Included as Standard  
Wall Thickness: ..... 45mm  
Building Style: ..... Strong Interlocking Tongue & Groove Logs  
Guarantee: ..... 10 Years on Pressure Treated Timber against  
Rot and Insect Infestation  
Approx. Assembly Time: ..... 2 Days\*  
\*This is an approximate time only, based on 2 people.  
Assembly time may vary depending on season/weather  
conditions, foundation type, ability of those constructing,  
etc

## Available sizes

3.0m x 4.0m

3.0m x 5.0m

4.0m x 3.0m

5.0m x 3.0m

Model shown 4.0m x 3.0m



3.0m x 4.0m



5.0m x 3.0m

SEE WEBSITE FOR FULL SPECIFICATION

# DaftDuck Multi Room Corner Log Cabin

Model shown 4.0m x 3.0m

Keep in touch  
01234272445  
enquiries@dunsterhouse.co.uk

Overall External Dimensions: .....	4.09m x 3.26m (13' 5" x 10' 8")
External Width: .....	3.99m (13' 1")
External Depth: .....	2.99m (9' 9")
Ridge Height: .....	2.50m (8' 0")
Internal Eaves Height: .....	2.13m (6' 11") Plenty of Headroom!
Roof & Floor: .....	19mm Tongue and Groove Boards
Walls: .....	100% Slow-Grown Spruce
Floor Bearers: .....	Pressure Treated for Longevity
Guarantee: .....	10 Years on Pressure Treated Timber against Rot and Insect Infestation
Approx. Assembly Time: .....	2 Days*

\*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

## Available sizes

3.0m x 4.0m  
4.0m x 3.0m



SEE WEBSITE FOR FULL SPECIFICATION



# EvilAssassin Log Cabin with Gazebo

Model shown 6.0m x 3.0m

Keep in touch  
01234272445  
enquiries@dunsterhouse.co.uk

Roof & Floor Thickness: ..... 19mm Tongue & Groove  
Floor Bearers: ..... Pressure Treated for Longevity  
24mm Double Glazing: ..... Included as Standard  
Wall Thickness: ..... 45mm  
Ridge Height: ..... 2.46m (8' 0")  
Guarantee: ..... 10 Years on Pressure Treated Timber against  
Rot and Insect Infestation  
Approx. Assembly Time: ..... 2 Days\*  
\*This is an approximate time only, based on 2 people.  
Assembly time may vary depending on season/weather  
conditions, foundation type, ability of those constructing,  
etc

## Available sizes

7.5m x 3.0m    12.5m x 3.0m  
8.5m x 3.0m    13.5m x 3.0m  
9.5m x 3.0m  
11.5m x 3.0m



SEE WEBSITE FOR FULL SPECIFICATION

# EvilAmy Multi Room Log Cabin

Keep in touch  
01234272445  
enquiries@dunsterhouse.co.uk

Roof & Floor Thickness: ..... 19mm Tongue & Groove  
Floor Bearers: ..... Pressure Treated for Longevity  
24mm Double Glazing: ..... Included as Standard  
Wall Thickness: ..... 45mm  
Ridge Height: ..... 2.46m (8' 0")  
Guarantee: ..... 10 Years on Pressure Treated Timber against  
Rot and Insect Infestation

Included as Standard: ..... Roof, Floor, Plastic Vents, Adjustable Storm  
Braces, Assembly Instructions and Fixings

Approx. Assembly Time: ..... 2 Days\*

\*This is an approximate time only, based on 2 people.  
Assembly time may vary depending on season/weather  
conditions, foundation type, ability of those constructing,  
etc

## Available sizes

4.5m x 2.5m	6.0m x 2.5m	7.5m x 4.0m
4.5m x 3.0m	6.0m x 3.5m	8.0m x 3.5m
5.0m x 2.5m	6.5m x 3.0m	8.5m x 3.0m
5.0m x 3.5m	7.0m x 3.5m	9.0m x 3.5m
5.5m x 3.0m	7.5m x 3.0m	9.5m x 3.0m
		10.5m x 3.0m

Model shown 4.5m x 2.5m



7.5m x 3.0m



4.5m x 2.5m

SEE WEBSITE FOR FULL SPECIFICATION

# EvilGenius Log Cabin Workshop

Keep in touch  
01234272445  
enquiries@dunsterhouse.co.uk

Roof & Floor Thickness: ..... 19mm Tongue & Groove  
Floor Bearers: ..... Pressure Treated for Longevity  
24mm Double Glazing: ..... Included as Standard  
Wall Thickness: ..... 45mm  
Ridge Height: ..... 2.46m (8' 0")  
Guarantee: ..... 10 Years on Pressure Treated Timber against  
Rot and Insect Infestation

Included as Standard: ..... Roof, Floor, Plastic Vents, Adjustable Storm  
Braces, Assembly Instructions and Fixings

Approx. Assembly Time: ..... 2 Days\*

\*This is an approximate time only, based on 2 people.  
Assembly time may vary depending on season/weather  
conditions, foundation type, ability of those constructing,  
etc

## Available sizes

4.0m x 3.0m	8.0m x 3.0m
6.0m x 3.0m	8.0m x 3.5m
7.0m x 3.0m	9.0m x 3.5m
7.0m x 3.5m	

Model shown 6.0m x 3.0m



4.0m x 3.0m



8.0m x 3.0m

SEE WEBSITE FOR FULL SPECIFICATION

# EvilRob Log Cabin Workshop

Keep in touch  
01234272445  
enquiries@dunsterhouse.co.uk

Roof & Floor Thickness: ..... 19mm Tongue & Groove  
Floor Bearers: ..... Pressure Treated for Longevity  
24mm Double Glazing: ..... Included as Standard  
Wall Thickness: ..... 45mm  
Ridge Height: ..... 2.46m (8' 0")  
Guarantee: ..... 10 Years on Pressure Treated Timber against  
Rot and Insect Infestation

Included as Standard: ..... Roof, Floor, Plastic Vents, Adjustable Storm  
Braces, Assembly Instructions and Fixings

Approx. Assembly Time: ..... 2 Days\*

\*This is an approximate time only, based on 2 people.  
Assembly time may vary depending on season/weather  
conditions, foundation type, ability of those constructing,  
etc

## Available sizes

5.5m x 3.0m

Model shown 5.5m x 3.0m



SEE WEBSITE FOR FULL SPECIFICATION

# EvilVampire Log Cabin with Pergola

Keep in touch  
01234272445  
enquiries@dunsterhouse.co.uk

Roof & Floor Thickness: ..... 19mm Tongue & Groove  
Floor Bearers: ..... Pressure Treated for Longevity  
24mm Double Glazing: ..... Included as Standard  
Wall Thickness: ..... 45mm  
Ridge Height: ..... 2.46m (8' 0")  
Guarantee: ..... 10 Years on Pressure Treated Timber against Rot and Insect Infestation

Approx. Assembly Time: ..... 2 Days\*

\*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

## Available sizes

7.5m x 3.0m    12.5m x 3.0m  
8.5m x 3.0m    13.5m x 3.0m  
9.5m x 3.0m  
11.5m x 3.0m

Model shown 7.5m x 3.0m



This model includes a SideStore

# FuriousPigeon Log Cabin Gazebo

Keep in touch  
01234272445  
enquiries@dunsterhouse.co.uk

Overall External Dimensions: ..... 5.03m x 3.26m (16' 6" x 10' 8")  
Ridge Height: ..... 2.49m (8' 2")  
Internal Eaves Height: ..... 2.13m (6' 11") Plenty of Headroom!  
Roof & Floor: ..... 19mm Tongue and Groove Boards  
Walls: ..... 100% Slow-Grown Spruce  
Floor Bearers: ..... Pressure Treated for Longevity  
Guarantee: ..... 10 Years on Pressure Treated Timber against

Included as Standard: ..... Roof, Floor, Plastic Vents, Adjustable Storm Braces, Assembly Instructions and Fixings

Approx. Assembly Time: ..... 2 Days\*

\*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

## Available sizes

5.0m x 3.0m

## Available configurations

45mm Walls

Model shown 5.0m x 3.0m



SEE WEBSITE FOR FULL SPECIFICATION

# GhostFlower Log Cabin

Keep in touch  
01234272445  
enquiries@dunsterhouse.co.uk

Overall External Dimensions: ..... 5.46m x 4.92m (17' 10" x 16' 1")  
Ridge Height: ..... 3.37m (11' 0")  
Internal Eaves Height: ..... 2.42m (7' 11") Plenty of Headroom!  
Roof & Floor: ..... 19mm Tongue and Groove Boards  
Walls: ..... 45mm Thickness, 100% Slow-Grown Spruce  
Floor Bearers: ..... Pressure Treated for Longevity  
Guarantee: ..... 10 Years on Pressure Treated Timber against Rot and Insect Infestation

Included as Standard: ..... Roof, Floor, Plastic Vents, Adjustable Storm Braces, Assembly Instructions and Fixings

Approx. Assembly Time: ..... 2 Days\*

\*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

## Available sizes

2.5m x 2.5m  
3.5m x 2.5m  
4.0m x 3.0m  
5.0m x 3.0m  
5.0m x 4.0m  
5.5m x 4.5m

## Available configurations

45mm Walls  
Choose to install your cabin with or without the roof dormer for either a classical or modern style.  
You choose!

Model shown 5.5m x 4.5m



2.5m x 2.5m



5.0m x 4.0m

SEE WEBSITE FOR FULL SPECIFICATION

# Lantera Log Cabin

Keep in touch  
01234272445  
[enquiries@dunsterhouse.co.uk](mailto:enquiries@dunsterhouse.co.uk)

**Overall External Dimensions:** ..... 4.50m x 2.74m (14' 9" x 8' 11")  
**Ridge Height:** ..... 2.45m (8' 0")  
**Internal Eaves Height:** ..... 2.19m (7' 2")  
**Roof & Floor:** ..... 19mm Tongue and Groove Boards  
50mm Floor & 60mm Roof for Insulated config.  
**Walls:** ..... 100% Slow-Grown Spruce  
**Floor Bearers:** ..... Pressure Treated for Longevity  
**Guarantee:** ..... 10 Years on Pressure Treated Timber against  
Rot and Insect Infestation  
**Included as Standard:** ..... Roof, Floor, Plastic Vents, Adjustable Storm  
Braces, Assembly Instructions and Fixings  
**Approx. Assembly Time:** ..... 2 Days\*  
\*This is an approximate time only, based on 2 people. Assembly  
time may vary depending on season/weather conditions,  
foundation type, ability of those constructing, etc

## Available sizes

4.5m x 3.5m

## Available configurations

45mm Walls

Model shown 4.5m x 3.5m



5.0m x 4.0m

**SEE WEBSITE FOR FULL SPECIFICATION**



# His & Hers Log Cabin

Keep in touch  
01234272445  
[enquiries@dunsterhouse.co.uk](mailto:enquiries@dunsterhouse.co.uk)

Overall External Dimensions: ..... 6.51m x 3.34m (21' 4" x 10' 11")  
Ridge Height: ..... 2.46m (8' 0")  
Internal Eaves Height: ..... 2.32m (7' 7")  
Roof & Floor: ..... 19mm Tongue and Groove Boards

Walls: ..... 45mm Thickness, 100% Slow Grown Spruce  
Floor Bearers: ..... Pressure Treated for Longevity  
Guarantee: ..... 10 Years on Pressure Treated Timber against Rot and Insect Infestation

Included as Standard: ..... Roof, Floor, Plastic Vents, Adjustable Storm Braces, Assembly Instructions and Fixings

Approx. Assembly Time: ..... 2 Days\*  
\*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

## Available sizes

6.5m x 3.0m  
8.5m x 3.0m  
7.5m x 3.0m

## Available configurations

45mm Walls

Model shown 6.5m x 3.0m



8.5m x 3.0m



7.5m x 3.0m

# Modetro Log Cabin

Keep in touch  
01234272445  
enquiries@dunsterhouse.co.uk

**Overall External Dimensions:** ..... 5.50m x 3.74m (18' 0" x 12' 3")  
**Ridge Height:** ..... 2.45m (8' 0")  
**Internal Eaves Height:** ..... 2.19m (7' 2")  
**Roof & Floor:** ..... 19mm Tongue and Groove Boards  
50mm Floor & 60mm Roof for Insulated config.  
**Walls:** ..... 100% Slow-Grown Spruce  
**Floor Bearers:** ..... Pressure Treated for Longevity  
**Guarantee:** ..... 10 Years on Pressure Treated Timber against  
Rot and Insect Infestation  
**Included as Standard:** ..... Roof, Floor, Plastic Vents, Adjustable Storm  
Braces, Assembly Instructions and Fixings  
**Approx. Assembly Time:** ..... 2 Days\*  
\*This is an approximate time only, based on 2 people. Assembly  
time may vary depending on season/weather conditions,  
foundation type, ability of those constructing, etc

## Available sizes

5.5m x 2.5m  
5.5m x 3.5m

## Available configurations

45mm Walls  
62mm with uPVC Insulated

Model shown 5.5m x 4.5m



5.5m x 4.5m



5.5m x 4.5m

SEE WEBSITE FOR FULL SPECIFICATION

# Rhine Log Cabin

Keep in touch  
 01234272445  
[enquiries@dunsterhouse.co.uk](mailto:enquiries@dunsterhouse.co.uk)

**Roof & Floor Thickness:** ..... 19mm Tongue & Groove  
 50mm Floor & 60mm Roof for Insulated configurations

**Floor Bearers:** ..... Pressure Treated for Longevity

**24mm Double Glazing:** ..... Included as Standard for 34mm, 45mm & 62mm

**Wall Thickness:** ..... 34mm, 45mm - 62mm Insulated

**Building Style:** ..... Interlocking Tongue & Groove Logs

**Guarantee:** ..... 10 Years on Pressure Treated Timber against Rot and Insect Infestation

**Approx. Assembly Time:** ..... 2 Days\*

\*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

## Available sizes

4.0m x 2.5m    4.0m x 7.0m  
 4.0m x 3.0m    5.5m x 3.0m\*  
 4.0m x 4.0m    5.5m x 5.0m\*  
 4.0m x 5.0m    \*with SideStore  
 4.0m x 6.0m

## Available configurations

34mm Walls  
 45mm Walls  
 45mm Walls with SideStore  
 45mm with uPVC Insulated  
 62mm with uPVC Insulated

Model shown 4.0m x 2.5m



4.0m x 7.0m



SideStore 5.5m x 3.0m

**SEE WEBSITE FOR FULL SPECIFICATION**

# Severn Log Cabin

Keep in touch  
 01234272445  
[enquiries@dunsterhouse.co.uk](mailto:enquiries@dunsterhouse.co.uk)

**Roof & Floor Thickness:** ..... 19mm Tongue & Groove  
 50mm Floor & 60mm Roof for Insulated configurations

**Floor Bearers:** ..... Pressure Treated for Longevity

**24mm Double Glazing:** ..... Included as Standard for 34mm, 45mm & 62mm

**Wall Thickness:** ..... 45mm - 62mm Insulated

**Building Style:** ..... Interlocking Tongue & Groove Logs

**Guarantee:** ..... 10 Years on Pressure Treated Timber against Rot and Insect Infestation

**Approx. Assembly Time:** ..... 2 Days\*

\*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

## Available sizes

- 5.0m x 2.5m    5.0m x 6.0m
- 5.0m x 3.0m    6.5m x 5.0m
- 5.0m x 4.0m    6.5m x 3.0m\*
- 5.0m x 5.0m    6.5m x 4.0m\*
- 5.0m x 5.5m    6.5m x 5.0m\*

\*with SideStore

## Available configurations

- 34mm Walls
- 45mm Walls
- 45mm Walls with SideStore
- 45mm with uPVC Insulated
- 62mm with uPVC Insulated

Model shown 5.0m x 5.0m



5.0m x 6.0m



Insulated Upvc 5.0m x 4.0m

**SEE WEBSITE FOR FULL SPECIFICATION**

# Terminator Log Cabin

Keep in touch  
 01234272445  
[enquiries@dunsterhouse.co.uk](mailto:enquiries@dunsterhouse.co.uk)

**Roof & Floor Thickness:** ..... 19mm Tongue & Groove  
 50mm Floor & 60mm Roof for Insulated configurations

**Floor Bearers:** ..... Pressure Treated for Longevity

**24mm Double Glazing:** ..... Included as Standard

**Wall Thickness:** ..... 45mm - 62mm Insulated

**Building Style:** ..... Interlocking Tongue & Groove Logs

**Guarantee:** ..... 10 Years on Pressure Treated Timber against Rot and Insect Infestation

**Approx. Assembly Time:** ..... 2 Days\*

\*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

Model shown 3.5m x 3.5m



Insulated Upvc 4.0m x 3.0m

## Available sizes

2.5m x 2.0m	4.0m x 3.0m	6.0m x 4.0m	8.0m x 3.0m
3.0m x 2.5m	4.5m x 2.5m	6.0m x 3.0m	8.5m x 3.5m
3.0m x 3.0m	4.5m x 3.5m	6.5m x 3.5m	9.0m x 3.0m
3.5m x 2.5m	5.0m x 3.0m	7.0m x 3.0m	5.5m x 3.0m*
3.5m x 3.5m	5.5m x 3.5m	7.5m x 3.5m	*with SideStore

## Available configurations

- 34mm Walls
- 45mm Walls
- 45mm with uPVC Insulated
- 62mm with uPVC Insulated

**SEE WEBSITE FOR FULL SPECIFICATION**

# Vampire Log Cabin with Pergola

Keep in touch  
01234272445  
enquiries@dunsterhouse.co.uk

Roof & Floor Thickness: ..... 19mm Tongue & Groove  
Floor Bearers: ..... Pressure Treated for Longevity  
24mm Double Glazing: ..... Included as Standard  
Wall Thickness: ..... 45mm  
Ridge Height: ..... 2.46m (8' 0")  
Guarantee: ..... 10 Years on Pressure Treated Timber against Rot and Insect Infestation

Approx. Assembly Time: ..... 2 Days\*

\*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

## Available sizes

6.0m x 3.0m    10m x 3.0m  
7.0m x 3.0m    11m x 3.0m  
8.0m x 3.0m  
9.3m x 3.0m

Model shown 8.0m x 3.0m



SEE WEBSITE FOR FULL SPECIFICATION

# Vanguard Log Cabin

Keep in touch  
01234272445  
enquiries@dunsterhouse.co.uk

**Roof & Floor Thickness:** ..... 19mm Tongue & Groove  
50mm Floor & 60mm Roof for Insulated configurations

**Floor Bearers:** ..... Pressure Treated for Longevity

**24mm Double Glazing:** ..... Included as Standard

**Wall Thickness:** ..... 45mm - 62mm Insulated

**Building Style:** ..... Interlocking Tongue & Groove Logs

**Guarantee:** ..... 10 Years on Pressure Treated Timber against Rot and Insect Infestation

**Approx. Assembly Time:** ..... 2 Days\*

\*This is an approximate time only, based on 2 people. Assembly time may vary depending on season/weather conditions, foundation type, ability of those constructing, etc

## Available sizes

6.0m x 5.0m

## Available configurations

45mm Walls  
62mm with uPVC Insulated

Model shown 6.0m x 5.0m



6.0m x 5.0m



Insulated Upvc 6.0m x 5.0m

SEE WEBSITE FOR FULL SPECIFICATION



**GARDEN BUILDINGS**



**DESIGNED  
BETTER.**

**Shop online at: [dunsterhouse.co.uk](https://dunsterhouse.co.uk)**